



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

AIRWAY / VENTILATION / OXYGENATION	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS [#]
Airway – Nasopharyngeal		X	X	X	X	X	X	X
Airway – Non-Visualized		X**	X	X	X	X	X	X**
Airway – Oral (Oropharyngeal)		X	X	X	X	X	X	X
Airway – SALT (when used for intubation)				X**	X*	X*	X*	
Airway Obstruction – Forceps & Laryngoscope (direct visual)			X	X	X	X	X	
Airway Obstruction – Manual	X	X	X	X	X	X	X	X
Bag Valve Mask (BVM)		X	X	X	X	X	X	X
BiPAP							X	
Capnography, End Tidal CO2 Monitoring		X**(1)	X**(1)	X**(1)	X*	X*	X*	X**
Chest Decompression – Needle					X	X	X	
Chest Seal - Vented Preferred			X	X	X	X	X	X
CO Monitoring		X**	X**	X**	X**	X**	X**	X**
CPAP			X**	X**	X**	X**	X**	
Cricoid Pressure (Sellick)		X*	X*	X*	X*	X*	X*	X**
Cricothyrotomy – Surgical/Needle						X*	X*	
Gastric Decompression – For Non-Visualized Airway with Gastric Access		X**	X**	X**	X**	X*	X*	X**
Gastric Decompression – NG/OG Tube						X*	X*	



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

AIRWAY / VENTILATION / OXYGENATION con't.	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS[#]
Intubation – Endotracheal (Must use waveform capnography by 2021)				X**	X	X	X	
Intubation – Medication Assisted (non-paralytic) (Requires 1-Paramedic & 1-Advanced Airway Trained Provider Patient Side)						X*	X*	
Intubation – Medication Assisted (paralytics, RSI) (Requires 2 Paramedics Patient Side)						X**	X**	
Intubation – Nasotracheal					X	X	X	
Manual Airway Manuevers	X	X	X	X	X	X	X	X
Oxygen Therapy – Tracheal Tube		X	X	X	X	X	X	X
Oxygen Therapy – Nebulizer		X**	X	X	X	X	X	X**
Oxygen Therapy – Nasal Cannula		X	X	X	X	X	X	X
Oxygen Therapy – Non-Rebreather Mask		X	X	X	X	X	X	X
Pulse Oximetry		X**	X*	X*	X*	X*	X*	X**
Suctioning – Tracheobronchial					X	X	X	
Suctioning – Upper Airway (Soft & Rigid)		X	X	X	X	X	X	X
Ventilators – Automated Transport Ventilator			X**(2)	X**(2)	X**(2)	X*	X*	
Ventilators – Variable Setting						X(3)	X	



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

CARDIOVASCULAR / CIRCULATION	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS#
12, 15 or 18 Lead ECG			X**(1)	X**(1)	X	X	X	X**
Blood & Blood Product Monitoring						X**	X	
Blood & Blood Product Initiation							X	
Cardiocerebral Resuscitation (CCR)		X**	X**	X**	X**	X**	X*	X**
Cardiopulmonary Resuscitation (CPR)	X	X	X	X	X	X	X	X
Cardioversion – Electrical					X	X	X	
CPR Mechanical Device		X**	X**	X**	X**	X**	X**	X**
Defibrillation – Automated / Semi-Automated (AED)	X	X	X	X	X*	X*	X*	X
Defibrillation – Manual			X**	X**	X	X	X	
ECG Monitor		X**(1)	X*(1)	X*(1)	X	X	X	X**
Hemorrhage Control – Direct Pressure	X	X	X	X	X	X	X	X
Hemorrhage Control – Hemostatic Agents		X**	X**	X**	X**	X*	X*	X
Hemorrhage Control – Pressure Point	X	X	X	X	X	X	X	X
Hemorrhage Control – Skin Clamp (Temporary Use)		X**	X**	X**	X**	X**	X**	X**
Hemorrhage Control – Tourniquet		X**	X**	X**	X**	X*	X*	X
Impedance Threshold Device (ITD)		X**	X**	X**	X**	X**	X**	X**
Monitor – Arterial Line							X	
Monitor – CVP Line							X	
Monitor – Swan-Ganz Catheter							X	
Pericardiocentesis						X	X	
Transcutaneous Pacing					X	X	X	
Transvenous Pacing – Maintenance and Troubleshooting (Not Initiation)							X	
Valsalva Maneuver					X	X	X	



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO₂, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

IMMOBILIZATION	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS[#]
Selective Spinal Immobilization			X**	X**	X**	X*	X*	X**
Spinal Immobilization – Cervical Collar		X**	X	X	X	X	X	X**
Spinal Immobilization – Long Board		X**	X	X	X	X	X	X**
Spinal Immobilization – Manual Stabilization	X	X	X	X	X	X	X	X
Spinal Immobilization – Seated Patient (KED, etc.)		X**	X	X	X	X	X	X**
Splinting – Manual	X	X	X	X	X	X	X	X
Splinting – Pelvic Wrap/PASG		X**	X*	X*	X*	X*	X*	X**
Splinting – Rigid	X	X	X	X	X	X	X	X
Splinting – Soft	X	X	X	X	X	X	X	X
Splinting – Traction		X**	X	X	X	X	X	X**
Splinting – Vacuum		X*	X*	X*	X*	X*	X*	X
ASSISTED PATIENT MEDICATIONS	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS[#]
Glucagon Auto-Injector Only		X**	X*	X*	X*	X*	X*	X**
Nitroglycerin			X*	X*	X*	X*	X*	
Oral Glucose	X	X*	X*	X*	X*	X*	X*	X
Any Patient Prescribed Emergency Medication with Medical Control Approval		X*(13)	X*(13)	X*(13)	X*(13)	X*(13)	X*(13)	X*(13)



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

MEDICATION ADMINISTRATION ROUTES	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS#
Aerosolized/Nebulized		X**	X	X	X	X	X	X**
Auto-Injector		X**	X	X	X	X	X	X**
Endotracheal Tube (ET)					X	X	X	
Intramuscular (IM)		X**	X	X	X	X	X	X**
Intranasal (IN)		X**	X**	X**	X**	X**	X**	X**
Intraosseous (IO)				X**	X	X	X	
Intravenous (IV)				X	X	X	X	
Oral (PO)	X	X	X	X	X	X	X	X
Rectal					X	X	X	
Subcutaneous (SQ)			X**	X	X	X	X	
Sub-Lingual (SL)			X	X	X	X	X	
INITIATION / MAINTENANCE / FLUIDS	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS#
Central Line – Use and Maintenance						X**(4)	X	
Maintenance – Medicated IV Fluids						X*	X	
Maintenance – Non-Medicated IV Fluids				X	X	X	X	
IV Pump				X**(5)	X**(5)	X(6)	X	
Intraosseous				X**	X*	X*	X*	
Peripheral				X(7)	X	X	X	
PICC Line – Access and Use						X**	X	
Other Access Ports – Use and Maintenance							X	
Saline Lock				X	X	X	X	



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

MEDICATIONS APPROVED PER PROTOCOL	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS#	
Activated Charcoal			X*	X*	X*	See separate Paramedic Medication List for use at this level	See separate Paramedic Medication List for use at this level		
Adenosine					X				
Albuterol		X**	X	X	X				X**
Amiodarone					X(8)				
Aspirin		X**	X	X	X				X**
Atropine					X				
Dextrose				X	X				
Epinephrine Auto-Injector		X**	X*(10)	X*(10)	X*(10)				X**
Epinephrine 1:1000 Manually Drawn		X**	X*(10)	X*(10)	X*(10)				X**
Epinephrine 1:10,000					X				
Fentanyl					X(11)				
Glucagon			X*	X*	X*				
Glucagon Manually Drawn		X**	X*	X*	X*				X**
Glucose-Oral		X	X	X	X				X
Ipratropium (Atrovent)			X*	X*	X				
Lidocaine					X(8)				
Lorazepam (Ativan)					X(9)				
Mark I Auto-Injector (or equivalent-for Self & Crew)		X**	X**	X**	X*				X**
Midazolam (Versed)					X(9)				
Morphine					X(11)				
Naloxone (Narcan)		X**	X	X	X				X**
Nitroglycerin				X(12)	X(12)				
Nitrous Oxide				X**	X**				
Ondansetron (Zofran)					X**				
Other Short-Acting Beta Agonist for Asthma			X**	X**	X**				
Vasopressin					X				



Wisconsin EMS Scope of Practice



Legend:

FA = First Aid, **EMR** = Emergency Medical Responder, **EMT** = Emergency Medical Technician, **AEMT** = Advanced EMT, **INT** = Intermediate

PARA = Paramedic, **CCP** = Critical Care Paramedic * = Optional use by a service, ** = Additional Skill requiring prior approval, # = Only allowed during TEMS activation.

(1) = Non-Interpretive, **(2)** = For CPR Only, **(3)** = May only use FiO2, rate and volume adjustments in assist control (AC) mode,

(4) = No add'l training req'd in code situation, **(5)** = For Non-Medicated IV's Only, **(6)** = 2 or less Medicated IV's per patient,

(7) = No External Jugular, **(8)** = Bolus Only, **(9)** = May choose only one for seizures, **(10)** = Must have one version of Epi 1:1000 available,

(11) = May choose only one for pain control, **(12)** = Sublingual use only, **(13)** = As long as means of administration is an approved skill.

MISCELLANEOUS	FA	EMR	EMT	AEMT	INT	PARA	CCP	TEMS [#]
Assisted Delivery (childbirth)		X	X	X	X	X	X	X
Blood Glucose Monitoring		X**	X	X	X	X	X	X**
Blood Pressure – Automated		X*	X*	X*	X*	X*	X*	X
Chest Tube Insertion							X**	
Chest Tube Monitoring						X	X	
Eye Irrigation	X	X	X	X	X	X	X	X
Foley Catheter Insertion							X*	
ICP Monitoring							X	
Immunizations		X**	X**	X**	X**	X**	X*	X**
Patient Physical Restraint Application		X**	X	X	X	X	X	X**
Venous Blood Sampling – Obtaining				X**	X**	X**	X*	
Vital Signs	X	X	X	X	X	X	X	X